



CB ELEVATION
TREATMENT ROOM - CB
 size - 2650 x 2100
 schedule item no: 52(b)
KITCHEN - CB1
 size - 1830 x 2100
 schedule item no: 52(a)

- Furniture Fittings For CB one unit two shutters :-**
1. SS Cut Hinges 100mm - 6Nos.
 2. SS brush finish Handle 200mm "C" Type - 2Nos.
 3. Magnatic Catcher - 2Nos.
 4. SS Tower Bolt - 2 No
 5. SS lock eye - 1set.




FLUSH DOOR
 Door size: 910x2100mm-D1
 Classroom
 Schedule item no: 51 (b)

- Furniture Fittings:-**
1. M.S.Holdfast 150x50x6mm - 6 nos.
 2. 150mm long Alu.hinges with screws-3 nos.
 3. 250x16mm long Alu.aldrop - 1 set.
 4. 230x12mm long Alu.towerbolt - 1 no.
 5. 150x12mm long Alu.towerbolt - 1 no.
 6. Door bush Nylon - 1no.
 7. 100mm long Alu. D-type handle - 1no.
 8. 100mm long Alu.door stopper with double rod (heavy type) - 1no.




TOILET DOOR
 Door Size: 750x2100mm-D2
 Schedule item no: 51 (a)

- Furniture Fittings:-**
1. M.S.Holdfast 150x50x6mm - 6nos.
 2. 150x12mm long Alu.towerbolt - 2nos.
 3. 125mm long Alu.Hinges with screws - 4nos.
 4. Door bush (Plastic) - 1no.
 5. Brass body Bathroom lock with handle (link make /approved equivalent make)-1no.




WINDOW -W 1200X1800MM
 Room Bed no : 14 & 26
 Schedule item no: 53 (a)



V1 - 1000x600mm (Top Hung)
 Schedule Item no: 53(c)
V2 - 600x600mm (Top Hung)
 Schedule Item no:53(d)
V - 1200/1000x600mm
 Schedule Item no: 53(b)



WINDOW/VENTILATOR GRILL (TYPICAL)
 Window- 1200X1800mm
 Ventilator - 1200/1000/600X600mm
 (Grill to be measured Separately)
 Schedule Item no: 54



SLUCE ROOM - WT
 Size - 1200 x 900
 Schedule item no: 52(c)

- Furniture Fittings For UCB one unit one shutters**
1. 75mm SS Cut Hinges - 2Nos.
 2. SS Handle 100mm "D" Type - 1No.
 3. Pad lock - 1No.
 4. Magnatic Catcher - 2Nos.

- Furniture Fittings For UCB one unit two shutters**
1. 75mm SS Cut Hinges - 4Nos.
 2. SS Handle 100mm "D" Type - 2Nos.
 3. Pad lock - 1No.
 4. Magnatic Catcher - 3Nos.
 5. 75mm SS Tower Bolt - 1No.

NOTES:-

1. All dimensions are in mm.
2. All fittings are of ISI make, unless otherwise mentioned.
3. All wood are free from knots & whites of first quality
4. 1.5mm planning tolerance on each wrought face is permitted.
5. All sizes mentioned are approximate to suit site conditions and as per actual measurements.
6. All exposed teak wood beadings are to be polished with sheenlac french polishing to a satisfactory finish.
7. Approved make of MDF boards - duratuff exterior grade /equivalent Make.
8. PAYMENT WILL BE MADE SEPARATELY
9. Dimensions should be Re-checked at site.
10. Work to figured Dimensions, Do not scale this drawing.
11. Discrepancies if any should be brought to the notice of the engineer.
12. All NCL joineries are AJANTHA series
13. All roll framed section made of galvanized steel colour coated / powder coated (base steel as per IS 513 'D' quality,galvanized as per IS 277 with zinc of 120 GM /Sq.mtr.)
14. Sections are to be cut to length ,mitre joined with corner bracket for both outer and shutter frame.
15. Corner brackets (45 degree) made of CRCA (Cold rolled close annealed) with zinc phosphating.
16. Mullion caps (90 degree) made of glass filled nylon.
17. Gaskets made of (EPDM) Ethyl propylene diamine monomer for glass fixing.
18. Handles made of high aluminium powder coated and with nylon receiver for windows and ventilators.
19. Painting:primer coat with epoxy primer of 5-7 microns thk,finish painted with a polyester paint of 12-16 micronsthk and back coated with Alkyd backer of 5-7 microns or powder coated with pure polyester powder upto 50-60 microns thk.
20. Fixing:Frame should be fixed to the existing wall by using Nylon selfexpanding caps and driving MS electroplated 80mm long screws into the caps through frames.
21. Grills: Grill made of 10mm sq.MS bars welded to at 150mm c/c, 6X12mm MS flat.Total grill unit should be powder coated.
22. 5mm thk. plain glass with 10mm air gap and 5mm thk. plain glass, modi/appd. equivalent.(Double glass)

TENDER PURPOSE ONLY

CHRISTIAN MEDICAL COLLEGE -VELLORE		
PROPOSED RENOVATION OF EXISTING H-WARD IN FIRST FLOOR CMC TOWN CAMPUS		
JOINERY DETAILS		
CHECKED BY:	DATE : 11.03.2026	PLANNING ENGINEER
DRAWN: YAMUNA	DRG.NO : CMC/HW/FF-J001	