


FLUSH DOOR
CORRIDOR & TERRACE
D3 - 810 x 2100 -2nos.
Schedule item no: 56(d)


FLUSH DOOR
HOD ROOM & LUNCH ROOM
D2 - 910 x 2100 - 2nos.
Schedule item no: 56(c)

FLUSH DOOR
D - 1500 x 2100
ENTRANCE DOOR
Schedule item no: 56(a)



FLUSH DOOR
CONFERENCE ROOM
D1 - 1050 x 2100
Schedule item no: 56(b)

TOILET DOOR
D4: 750x2100mm
Schedule item no: 56(e)



FLUSH DOOR
CLASSROOM - 1&2
AD - 1050 x 2100 - 2Nos.
Schedule item no: 55(a)

Furniture fittings:-

1. M.S.Holdfast 150x50x6mm - 6Nos.
2. 230x12mm long Alu.towerbolt - 1No.
3. 150mm long Alu.Hinges with screws - 4Nos.
4. Door bush (Nylon) - 1No.
5. 100mm Alu.door stopper with double rod - 1No.
6. 250x16mm alu.aldrop bolt with screws - 1No.
7. 150mm long Alu.D-type handle (in/out side)- 2Nos.

Furniture Fittings:-


1. M.S.Holdfast 150x50x6mm - 6Nos.
2. 230x12mm long Alu.towerbolt - 2Nos.
3. 150x12mm long Alu.towerbolt - 1No.
4. 150mm long Alu.Hinges with screws - 8Nos.
5. Door bush (Plastic) - 2Nos.
6. 100mm Alu.door stopper with double rod - 2Nos.
7. 250x16mm alu.aldrop bolt with screws - 1No.
8. 150mm long Alu.D-type handle (in/out side)-4Nos.

Furniture Fittings:-

1. M.S.Holdfast 150x50x6mm - 6nos.
2. 150x12mm long Alu.towerbolt - 2nos.
3. 125mm long Alu.Hinges with screws - 4nos.
4. Door bush (Plastic) - 1no.
5. Brass body Bathroom lock with handle (link make /approved equivalent make)-1no.

Furniture Fittings for single shutter door:-


1. 150x12mm long Alu. towerbolt - 1 no.
2. 125mm long Alu. hinges with screws - 3 nos.
3. 100X150mm Butterfly type handle - 2 nos.
4. Alu. door stopper with double rod - 1 no.
5. Lock - 6 lever (leader brand) - 1 no.
6. Door bush (Nylon) - 1 no.



ALUMINIUM PARTITION
WITH DOOR @ STORE ROOM
Size: 3050x2700mm
Door Size: AD1 - 910x2100mm
Schedule item No: 55(b)

Furniture Fittings for single shutter door:-

1. 150x12mm long Alu. towerbolt - 1 no.
2. 125mm long Alu. hinges with screws - 3 nos.
3. 150X200mm Butterfly type handle - 2 nos.
4. Alu. door stopper with single rod - 1 no.
5. Lock - 6 lever (leader brand) - 1 no.
6. Door bush (Nylon) - 1 no.



ELEVATION
WICKET DOOR - SIZE 1350 X 910
Schedule item no: 56(f)

Furniture fittings:-

1. 100mm long Alu.Hinges with screws - 4Nos
2. 250x16mm alu.aldrop bolt with screws (out side) - 1No.

NOTE:-

1. All dimensions are in mm.
2. All fittings are of ISI make. unless otherwise mentioned.
3. All wood are free from knots & whites of first quality
4. 1.5mm planning tolerance on each wrought face is permitted.
5. All sizes mentioned are approximate to suit site conditions and as per actual measurements.
6. All exposed teak wood beadings are to be polished with sheenlac french polishing to a satisfactory finish.
- 7.Approved make of MDF boards - duratuff exterior grade or equivalent make.
- 8.Dimensions should be Re-checked at site.
9. Work to figured Dimensions, Do not scale this drawing.
10. Discrepancies if any should be brought to the notice of the engineer.
- 11.Approved make of Aluminium sections - Jindal / approved equivalent make.
12. All Aluminium sections to be anodised coated.(approved colour).
13. All panel sizes are as per Engineer's instructions.
- 14.All glass items mentioned in partition and doors are of MODI/SAINT GOBAIN/ appd. equivalent.

DETAILS OF ALU. MEMBERS AS PER JINDAL - CATALOG - 2008					
MEMBER	SECTION NO	SECTION SIZE IN MM	THICKNESS SIZE IN MM	SECTION WEIGHT kg/m	
A	PARTITION / DOOR OUTER FRAME	20073	63.50x38.10	1.95	1.092
B	PARTITION - INTERMEDIATE	20072	63.50x38.10	1.85	1.095
C	DOOR SHUTTER - TOP RAIL	19571	47.62x44.50	1.95	0.974
D	DOOR SHUTTER - VERTICAL	19569	47.62x44.50	2.02	1.052
E	DOOR SHUTTER - LOCK RAIL	19575	49.91x44.50	1.60	0.882
F	DOOR SHUTTER - BOTTOM RAIL	19556	101.60x44.50	2.50	1.943
G	BOX SECTION PLAIN	14101	63.50x38.10	1.75	0.974
	CLIP FOR HOLDING MDF - BOARD (OR) GLASS	19370		0.80	0.109
	'F' SECTION FOR HOLDING GRILL	17602	23.40x15.30	1.40	0.193

TENDER PURPOSE ONLY

CHRISTIAN MEDICAL COLLEGE -VELLORE.

PROPOSED MODIFICATION OF EXISTING ROOMS : 408, 409, 410, 411 AND NEURO CHEMISTRY OFFICE AS STAFF TRAINING DEPARTMENT IN THE THIRD FLOOR OF WILLIAMS BUILDING AND PART OF NEURO BLOCK AT CMC, TOWN CAMPUS VELLORE

JOINERY DETAILS		
CHKD BY : DEVAKI	DATE : 20.03.2026	PLANNING ENGINEER:
DRAWN: YAMUNA	DRG.NO:CMC/WB/ST/J002	